

EAST Search History

Ref #	Hits	Search Query	DDBs	Default Operator	Plurals	Time Stamp
3.5	1	("6.356.937").PNL	US-RGPLB; USPAT	OR	OFF	2008/12/02 15:42
3.6	19	(spam) same (similar\$5 "same" identical) near3 (body main content message) same (many large different) near3 recipients	US-RGPLB; USPAT; USOCR_EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/02 15:55
3.7	241	(match\$4 same (body main text content) with (higher greater) with (sender address\$4)	US-RGPLB; USPAT; USOCR_EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/02 15:59
3.8	28	(hash\$4 same (body main text content) with (higher greater) with (sender address\$4)	US-RGPLB; USPAT; USOCR_EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/02 16:00
3.9	19	(spam) same (similar\$5 "same" identical) near3 (payload body main content message) same (many large different) near3 recipients	US-RGPLB; USPAT; USOCR_EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/02 16:01
3.10	79	(spam) same (similar\$5 "same" identical) near3 (payload body main content message) with recipients	US-RGPLB; USPAT; USOCR_EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/02 16:01
3.11	10	(spam) same (similar\$5 "same" identical) near3 (body main content message payload) same (many large different) near3 senders	US-RGPLB; USPAT; USOCR_EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/02 16:28
3.12	0	forg\$4 near4 from same spam\$4	US-RGPLB; USPAT; USOCR_EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/02 16:31
3.13	0	forg\$4 near4 from	US-RGPLB; USPAT; USOCR_EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/02 16:31
3.14	192	forg\$4 near4 (sender source originating) near2 address	US-RGPLB; USPAT; USOCR_EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/02 16:32
3.15	0	spam\$4 same from with (forg\$4 fax\$4 vary\$4 vary\$2)	US-RGPLB; USPAT; USOCR_EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/02 16:32
3.16	0	spam\$4 same from with (spoof\$4 forg\$4 fax\$4 vary\$4 vary\$2)	US-RGPLB; USPAT; USOCR_EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/02 16:32

3.17	314	spam\$4 same address with (spool\$4 forg\$4 fak\$4 vary\$4 varie\$2)	[US_RGRUB; USPAT; USOCR_EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/02 16:33
3.18	191	spam\$4 same address near3 (spool\$4 forg\$4 fak\$4 vary\$4 varie\$2)	[US_RGRUB; USPAT; USOCR_EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/02 16:33
3.19	133	forged same spam\$4	[US_RGRUB; USPAT; USOCR_EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/02 16:39
3.20	142	forg\$4 with (address sender source) same spam\$4	[US_RGRUB; USPAT; USOCR_EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/02 16:39
3.21	106	forg\$4 with (address) same spam\$4	[US_RGRUB; USPAT; USOCR_EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/02 16:39
3.22	142	forg\$4 with (address from sender source) same spam\$4	[US_RGRUB; USPAT; USOCR_EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/02 16:40
3.23	30	spam\$4 same (similar\$5 "same" identical) near3 (payload body main content message text) same (many large different) near3 (senders addresses source)	[US_RGRUB; USPAT; USOCR_EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/02 17:12
3.24	32	spam\$4 same (similar\$5 "same" identical) near3 (payload body main content message text) same (many large different\$4) near3 (senders addresses source)	[US_RGRUB; USPAT; USOCR_EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/02 17:13
3.25	32	spam\$4 same (similar\$5 "same" identical) near3 (payload body main content message text) same (many large different\$4 various varying) near3 (senders addresses source)	[US_RGRUB; USPAT; USOCR_EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/02 17:13
3.26	11	(spam\$4 email mail) same (similar\$5 "same" identical) near3 (payload body main content message text) same sender\$1 near3 (originating from many large different)	[US_RGRUB; USPAT; USOCR_EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/02 17:25
3.27	1	("20020152399") PN.	[US_RGRUB; USPAT	OR	OFF	2008/12/02 17:39
3.28	1	("20020199055") PN.	[US_RGRUB; USPAT	OR	OFF	2008/12/02 17:40
3.29	4	((("5823013") or ("6357008") or ("5823600") or ("5822208")) PN.	[US_RGRUB; USPAT	OR	OFF	2008/12/02 17:50
3.30	2	((("5765030") or ("20030061502")) PN.	[US_RGRUB; USPAT	OR	OFF	2008/12/02 18:01
3.31	0	("5.761.5315.959.9766.038.2336.138.2546.223.1726.389.4196.397.2596.424.6506.662.2306.707.9156.842.8616.438.612") PN.	[US_RGRUB; USPAT	OR	OFF	2008/12/02 18:03

32	12	((("5,761,531") or ("5,959,976") or ("6,039,233") or ("6,138,254") or ("6,223,172") or ("6,389,419") or ("6,397,259") or ("6,424,650") or ("6,662,230") or ("6,707,915") or ("6,842,861") or ("6,438,612"))).PN	US-RGPLB; USPAT	OR	OFF	2008/12/02 18:03
33	9	((("6,266,337") or ("6,870,849") or ("6,519,264") or ("6,804,237") or ("6,947,442") or ("6,978,223") or ("6,909,205") or ("6,430,184") or ("6,782,503")).PN or ("2005/0058129") or ("2005/0014749") or ("2003/0097439")).CQLS	US-RGPLB; USPAT	OR	OFF	2008/12/02 18:06
34	12	((("6,266,337") or ("6,870,849") or ("6,519,264") or ("6,804,237") or ("6,947,442") or ("6,978,223") or ("2005/0058129") or ("2005/0014749") or ("2003/0097439") or ("6,909,205") or ("6,430,184") or ("6,782,503")).PN	US-RGPLB; USPAT	OR	OFF	2008/12/02 18:06
35	3	((("6279113") or ("20020001364") or ("20030110393")).PN	US-RGPLB; USPAT	OR	OFF	2008/12/02 18:07
36	2	((("20020071438") or ("20030167402")).PN	US-RGPLB; USPAT	OR	OFF	2008/12/02 18:09
37	2	((("5991881") or ("6981146")).PN	US-RGPLB; USPAT	OR	OFF	2008/12/02 18:10
38	8	((("20020001384") or ("20020071438") or ("20030167402") or ("20030110393") or ("20030145232") or ("20030172289") or ("6,738,814") or ("6,741,595")).PN	US-RGPLB; USPAT	OR	OFF	2008/12/02 18:11
S1	602	hash\$4 with ((e electronic) adj mail email)	US-RGPLB; USPAT; USOCR, EPO; DERIVENT; IBM_TDB	OR	ON	2008/11/26 16:50
S2	52	hash\$4 with ((e electronic) adj mail email) same spam	US-RGPLB; USPAT; USOCR, EPO; DERIVENT; IBM_TDB	OR	ON	2008/11/26 16:50
S3	1	("6609196").PN	US-RGPLB; USPAT	OR	OFF	2008/11/26 16:54
S4	2	hash\$4 with stream\$4 with (mail email)	US-RGPLB; USPAT; USOCR, EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 16:01
S5	7	hash\$4 with header with (mail email) same without	US-RGPLB; USPAT; USOCR, EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 16:01
S6	65	hash\$4 with (mail email) same without	US-RGPLB; USPAT; USOCR, EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 16:02
S7	8	hash\$4 with (mail email) same without with body	US-RGPLB; USPAT; USOCR, EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 16:03
S8	3	hash\$4 with (mail email) with incremen\$4	US-RGPLB; USPAT; USOCR, EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 16:05
S9	65	hash\$4 with (mail email) same (spam reject\$4)	US-RGPLB; USPAT; USOCR, EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 16:07
S10	1	(10/154137).APP	USPAT; USOCR	OR	ON	2008/12/01 16:19

S11	13	"5276869" "5377354" "5619648" "5905777" "6311277" "6424718".PN. OR ("7117358").UP.N	US-RGPLB; USPAT; USOCR	OR	ON	2008/12/01 16:19
S12	1	"6981158".PN	US-RGPLB; USPAT	OR	OFF	2008/12/01 16:30
S13	1	"7328349".PN	US-RGPLB; USPAT	OR	OFF	2008/12/01 16:38
S14	119	hash\$4 with message with stream	US-RGPLB; USPAT; USOCR; EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 16:46
S15	122	hash\$4 with message with stream\$4	US-RGPLB; USPAT; USOCR; EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 16:46
S16	2	hash\$4 with message with stream\$4 and spam	US-RGPLB; USPAT; USOCR; EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 16:47
S17	3	hash\$4 with (message mail email) with stream\$4 and spam	US-RGPLB; USPAT; USOCR; EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 16:47
S18	135	hash\$4 with (message mail email) with receive\$4 and spam	US-RGPLB; USPAT; USOCR; EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 16:47
S19	3692	hash\$4 with (message mail email) with receive\$4 same header and spam	US-RGPLB; USPAT; USOCR; EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 16:47
S20	14	hash\$4 with (message mail email) with receive\$4 same header and spam	US-RGPLB; USPAT; USOCR; EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 16:47
S21	134	hash\$4 same (entire whole part partial) near3 (message mail email) same header	US-RGPLB; USPAT; USOCR; EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 16:49
S22	0	hash\$4 same being near3 received	US-RGPLB; USPAT; USOCR; EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 16:51
S23	1835	hash\$4 same (message mail email) near3 received	US-RGPLB; USPAT; USOCR; EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 16:51
S24	940	hash\$4 with (message mail email) near3 received	US-RGPLB; USPAT; USOCR; EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 16:51

S25	34	hash\$4 with as near3 (message mail email) near3 received	US-RGPLB; USPAT; USOCR, EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 16:51
S26	27	hash\$4 same as! near3 (message mail email) near3 received	US-RGPLB; USPAT; USOCR, EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 16:53
S27	18	hash\$4 same (message mail email) near3 received near2 as!	US-RGPLB; USPAT; USOCR, EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 16:55
S28	0	hash\$4 same (message mail email) near3 receiving near2 while	US-RGPLB; USPAT; USOCR, EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 16:55
S29	2	hash\$4 same as! near3 (message mail email) near3 received and spam	US-RGPLB; USPAT; USOCR, EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 16:59
S30	75	as! near3 (message mail email) near3 received and spam	US-RGPLB; USPAT; USOCR, EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 16:59
S31	38	as! near2 (message mail email) near3 received and spam	US-RGPLB; USPAT; USOCR, EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 16:59
S32	1	"6868498".PN	US-RGPLB; USPAT	OR	OFF	2008/12/01 17:01
S33	223	real near2 time same spam	US-RGPLB; USPAT; USOCR, EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 17:01
S34	50	real near2 time same hash\$4 and spam	US-RGPLB; USPAT; USOCR, EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 17:01
S35	33	hash\$4 with attachment and spam	US-RGPLB; USPAT; USOCR, EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 17:42
S36	4	hash\$4 with attachment same (uncompress\$4 decompress\$4)	US-RGPLB; USPAT; USOCR, EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 17:45
S37	209	hash\$4 with (uncompress\$4 decompress\$4)	US-RGPLB; USPAT; USOCR, EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 17:45

S38	7	hash\$4 with (uncompress\$4 decompress\$4) and spam	US-RGPLB; USPAT; USOCR_EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 17:45
S39	34	"6460050"	US-RGPLB; USPAT; USOCR_EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 17:58
S40	1	"6460050".PN	US-RGPLB; USPAT	OR	OFF	2008/12/01 17:58
S41	99	hash\$4 with (size\$4 length) same (mail email)	US-RGPLB; USPAT; USOCR_EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 18:32
S42	203	hash\$4 with (size\$4 length) with (header body)	US-RGPLB; USPAT; USOCR_EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 18:32
S43	28	hash\$4 with (size\$4 length) with (varying variable fixed predetermined) with (header body)	US-RGPLB; USPAT; USOCR_EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 18:32
S44	4	hash\$4 with attachment same (reject\$4 spam worm virus) and (uncompress\$4 compress\$4 decompress\$4)	US-RGPLB; USPAT; USOCR_EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 18:34
S45	48	hash\$4 with attachment and (uncompress\$4 compress\$4 decompress\$4)	US-RGPLB; USPAT; USOCR_EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 18:36
S46	9	hash\$4 with attachment same (uncompress\$4 compress\$4 decompress\$4)	US-RGPLB; USPAT; USOCR_EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 18:36
S47	70	hash\$4 same attachment and spam	US-RGPLB; USPAT; USOCR_EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 19:01
S48	30	hash\$4 same attachment and spam and (compress\$4 decompress\$4 uncompress\$4)	US-RGPLB; USPAT; USOCR_EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 19:01
S49	2234	hash\$4 same (varying variable fixed) near3 (length size sized) and match\$4	US-RGPLB; USPAT; USOCR_EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 19:07
S50	641	hash\$4 same (varying variable fixed) near3 (length size sized) and match\$4 near4 hash	US-RGPLB; USPAT; USOCR_EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 19:08

S51	100	hash\$4 same (varying variable fixed) near3 (length size sized) and spam	US-RGRUB; USPAT; USOCR_EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 19:08
S52	8	hash\$4 same (varying variable fixed) near3 (length size sized) with block and spam	US-RGRUB; USPAT; USOCR_EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 19:08
S53	48	hash\$4 same (varying variable fixed) near3 (length size sized) with block same match	US-RGRUB; USPAT; USOCR_EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 19:09
S54	57	hash\$4 same (varying variable fixed) near3 (length size sized) with block same match\$4	US-RGRUB; USPAT; USOCR_EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 19:09
S55	306	hash\$4 same (varying variable fixed) near3 (length size sized) with block	US-RGRUB; USPAT; USOCR_EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 19:10
S56	143	hash\$4 same (varying variable fixed) near3 (length size sized) with block	USPAT; USOCR_EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 19:10
S57	65	hash\$4 with (varying variable fixed) near3 (length size sized) with block	USPAT; USOCR_EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 19:11
S58	45	hash\$4 with (algorithms/ functions) and spam	USPAT; USOCR_EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 19:12
S59	17	hash\$4 with (different multiple plurality several) with (algorithms/ functions) and spam	USPAT; USOCR_EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 19:13
S60	368	hash\$4 near3 (different multiple plurality several) near3 (algorithms/ functions)	USPAT; USOCR_EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 19:15
S61	66	hash\$4 near3 (different multiple plurality several) near3 (algorithms/ functions) and (mail email spam)	USPAT; USOCR_EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 19:15
S62	27	hash\$4 near3 (different multiple plurality several) near3 (algorithms/ functions) same match\$4	USPAT; USOCR_EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 19:20
S63	2	hash\$4 near3 (different multiple plurality several) near3 (algorithms/ functions) same (mail email spam)	USPAT; USOCR_EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 19:20
S64	70	hash\$4 near3 (different multiple plurality several) near3 (algorithms/ functions) same match\$4	US-RGRUB; USPAT; USOCR_EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 19:21

S65	24	hash\$4 near3 (different multiple plurality several) near3 (algorithms/ functions/) same match\$4 and (mail email spam)	US-PGJUB; USPAT; USOCR, EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 19:21
S66	33	hash\$4 near3 (different multiple plurality several) near3 (algorithms/ functions/) with (packet message mail email spam)	US-PGJUB; USPAT; USOCR, EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 19:22
S67	36	number with recipients with similar with (message email mail)	US-PGJUB; USPAT; USOCR, EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 19:28
S68	10	large with number with recipients with similar with (message email mail)	US-PGJUB; USPAT; USOCR, EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 19:28
S69	7	large with number with recipients with similar with (message email mail) same spam	US-PGJUB; USPAT; USOCR, EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 19:29
S70	9	number with recipients with similar with (message email mail) same spam	US-PGJUB; USPAT; USOCR, EPO; DERIVENT; IBM_TDB	OR	ON	2008/12/01 19:29
S71	11	"20020116463" "20020116641" "20020147754" "20020181703" "20020199095" "6161130" "6199103" "6330590" "6421709" "6507666".PN. OR "7089241".UPRN.	US-PGJUB; USPAT; USOCR	OR	ON	2008/12/01 19:30
S72	5	S71 and scot\$4	US-PGJUB; USPAT; USOCR	OR	ON	2008/12/01 19:34

12/2/2008 6:17:10 PM

C:\Documents and Settings\jchang4\My Documents\ EAST\ Workspaces\ 10654771.wsp